A-Technologies FZCO

P.O. Box: 18400, Dubai - United Arab Emirates Tel: (+971) 4 886 0880, Fax: (+971) 4 886 0881

info@a-technologies.com www.atecpool.com TRN: 100312976200003



إيــه-تكـنولـوجـيـز ش.م.ح

ص.ب: ۱۸۶۰ - دبي - اللغة العربية لغة جميلة تليفون: ۹۷۱۶۸۸۱۰۸۸ + فاكس: ۱۳۸۸۱۰۸۸۱ البريد إلا لكترونيي: info@a-technologies.com www.atecpool.com

WARRANTY LETTER-DRAFT

Warranty of supplied materials

On behalf of ATECPOOL ESPANA; we, A-Technologies FZCO hereby warrants the good condition of equipment for a Period mentioned-there in from the date of Delivery note.

1. Scope of Warranty

1.1 Period.

The period of all warranties mentioned herein shall commence from the date of delivery, which is to be understood specifically to be Day-Month-Year.

Failures of the product under any of the above terms during the applicable warranty period shall, subject to the exclusions noted below, result in ATECPOOL ESPANA providing satisfactory repair or replacement of the product or part of the product as appropriate, entirely at ATECPOOL ESPANA cost. The option to repair or replace remains entirely at the discretion of ATECPOOL ESPANA. Where ATECPOOL ESPANA at it's sole discretion deems replacement to be appropriate, ATECPOOL ESPANA retains the option to replace with an equivalent item if no exact replacement is readily available.

This warranty is applicable provided the "Sales" terms and conditions have been fully adhered to by the client, including but not limited to settlement of all payments. The Warranty is considered to be null and void if the full value of the outstanding payment/s is not received. Remedial works will not be provided under warranty where there are outstanding sums due.

This warranty is given subject to the laws of the United Arab Emirates and the Emirate of Dubai

2. Exclusions

This warranty covers failures arising from manufacturing defects, negligence or improper supply on the part of ATECPOOL ESPANA. It excludes certain services and effects of certain events as described below.

- 2.1 Routine maintenance of the product, and supply and apply of chemical or any consumables. Incorrect maintenance carried out by the client or third parties may invalidate this warranty. Improper maintenance of Water Chemistry, pH level imbalance will make the warranty void.
- 2.2 ATECPOOL ESPANA is not responsible for the removal or replacement of niches, surrounds, or any other items provided or installed by the client or third parties, if needed for the repair or replacement of the product/s covered by this warranty.

Page 1 of 3 | ATEC/WL/GEN/2022





















A-Technologies FZCO

P.O. Box: 18400, Dubai - United Arab Emirates Tel: (+971) 4 886 0880, Fax: (+971) 4 886 0881

info@a-technologies.com www.atecpool.com TRN: 100312976200003



إيه-تكنولوجيز ش.م.ح

ص.ب: ١٨٤٠٠ - دبي - اللغة العربية لغة جميلة تليفون: ٩٧١٤٨٨٦٠٨٨١ + فاكس: ٩٧١٤٨٨٦٠٨٨ البريد إلا لكترونيي: info@a-technologies.com www.atecpool.com

TRN: 100312976200003

- 2.3 This warranty shall not apply in the case of damage or failure resulting from war, strike, civil commotion, government action, acts of God, or any other external cause or impact not attributable to the actions of ATECPOOL ESPANA.
- 2.4 This warranty does not cover progressive failure due to normal wear and tear.
- 2.5 Consequential losses of all and every kind are specially excluded from this warranty.

Yours truly,

For A-Technologies FZCO

AUTHORIZED SIGNATORY

Exhibit -A

| Sr. NO | Item | Description | Warranty Period |
|-----------|---------|--|--------------------|
| 1 | CDP 40 | Dantherm Dehumidifier - Wall Mounted Version Capacity at 28°C / 60% - 34 Liter/Day Air Flow: 400 m³/h, 220~240V, single phase | 1 YEAR |
| 2 | CDP 50 | Dantherm Dehumidifier - Wall Mounted Version Capacity at 28°C / 60% - 52 Liter/Day Air Flow: 680 m³/h, 220~240V, single phase | 1 YEAR |
| 3 | CDP 70 | Dantherm Dehumidifier - Wall Mounted Version Capacity at 28°C / 60% - 69 Liter/Day Air Flow: 900 m³/h, 220~240V, single phase | 1 YEAR |
| 4 | CDP 40T | Dantherm Dehumidifier - Through-Wall Mounted Version Capacity at 28°C / 60% - 29 Liter/DayAir Flow: 250 m³/h 220~240V, single phase | 1 YEAR |
| 5 | CDP 50T | Dantherm Dehumidifier - Through-Wall Mounted Version Capacity at 28°C / 60% - 42 Liter/Day Air Flow: 500 m³/h 220~240V, single phase | 1 YEAR |
| 6 | CDP 70T | Dantherm Dehumidifier - Through-Wall Mounted Version Capacity at 28°C / 60% - 66 Liter/Day Air Flow: 750 m³/h 220~240V, single phase | 1 YEAR |
| 7 | CDP 75 | Dantherm Dehumidifier - Ducted Version Capacity at 28°C / 60% - 74 Liter/Day Air Flow: 1500 m³/h 1x230V | 1 YEAR |
| 8 | CDP 125 | Dantherm Dehumidifier - Ducted Version Capacity at 28°C / 60% - 124 Liter/Day Air Flow: 2500 m³/h 3x400V | 1 YEAR |
| 9 | CDP 165 | Dantherm Dehumidifier - Ducted Version Capacity at 28°C / 60% - 162 Liter/Day Air Flow: 3600 m³/h 3x400V | 1 YEAR |

Page 2 of 3 | ATEC/WL/GEN/2022



















A-Technologies FZCO

P.O. Box: 18400, Dubai - United Arab Emirates Tel: (+971) 4 886 0880, Fax: (+971) 4 886 0881

info@a-technologies.com www.atecpool.com TRN: 100312976200003



إيه-تكنولوجيز ش.م.ح

ص.ب: ١٨٤٠٠ - دبى - اللغة العربية لغة جميلة تليفون: ٨٨٠ ٢٨٨١ ٩٧١ + فاكس: ١٨٨٠ ٢٨٨١ ٩٧١ + info@a-technologies.com:البريد إلا لكترونيي www.atecpool.com TRN: 100312976200003

For A-Technologies FZCO



Page 3 of 3 | ATEC/WL/GEN/2022

World Trade Center Edificio Sur - 2ª Planta



















